

EAST

SEARCH

05/24/2006 TM

|    | Type | L # | Hits | Search Text  | DBs                   |
|----|------|-----|------|--|-----------------------|
| 1  | BRS  | L43 | 1484 | trace with buffer  | USPAT                 |
| 2  | BRS  | L45 | 1219 | trace.ti.  | USPAT                 |
| 3  | BRS  | L47 | 1    | trace with buffer with vliw                                | USPAT                 |
| 4  | BRS  | L49 | 0    | instruction with reuse<br>with vliw                        | USPAT                 |
| 5  | BRS  | L52 | 512  | pointer with provid\$4 with<br>(instruction program word)  | USPAT                 |
| 6  | BRS  | L53 | 219  | pointer with provid\$4 with<br>(instruction)               | USPAT                 |
| 7  | BRS  | L54 | 0    | pointer with "are provided<br>as" with (instruction)       | USPAT                 |
| 8  | BRS  | L55 | 0    | pointer with "are provided<br>as" with program             | USPAT                 |
| 9  | BRS  | L56 | 0    | pointer with "are provided<br>as" with word                | USPAT                 |
| 10 | BRS  | L57 | 0    | pointer with "is provided<br>as" with word                 | USPAT                 |
| 11 | BRS  | L58 | 0    | pointer with "is provided<br>as"                           | USPAT                 |
| 12 | BRS  | L59 | 0    | pointer with "is provided"                                 | USPAT                 |
| 13 | BRS  | L60 | 0    | pointer with "provided"                                    | USPAT                 |
| 14 | BRS  | L61 | 0    | pointer with "provide"                                     | USPAT                 |
| 15 | BRS  | L62 | 0    | pointer with provide                                       | USPAT                 |
| 16 | BRS  | L63 | 194  | pointer with provid\$2                                     | USPAT                 |
| 17 | BRS  | L64 | 1180 | ((trace reuse) with buffer)<br>and (pointer decod\$4)      | USPAT                 |
| 18 | BRS  | L66 | 128  | (microcode with sequence)<br>same complex                  | USPAT                 |
| 19 | BRS  | L67 | 0    | (microcode with sequence)<br>same (complex with index)     | USPAT                 |
| 20 | BRS  | L68 | 0    | (microcode with sequence<br>with index) same (complex)     | USPAT                 |
| 21 | BRS  | L69 | 365  | 712/200.ccls.  | USPAT                 |
| 22 | BRS  | L70 | 129  | (microcode with sequence)<br>same complex                  | USPAT;<br>EPO;<br>JPO |
| 23 | BRS  | L71 | 147  | ((trace reuse) with buffer)<br>and (pointer with decod\$4) | USPAT;<br>EPO;<br>JPO |

|    | Type | L # | Hits | Search Text  | DBs                   |
|----|------|-----|------|--|-----------------------|
| 24 | BRS  | L72 | 1214 | ((trace reuse) with buffer)<br>and (pointer decod\$4)  | USPAT;<br>EPO;<br>JPO |
| 25 | BRS  | L73 | 203  | pointer with provid\$2   | USPAT;<br>EPO;<br>JPO |
| 26 | BRS  | L74 | 5    | instruction with reuse with<br>vliw  | USPAT;<br>EPO;<br>JPO |
| 27 | BRS  | L75 | 258  | pointer with provid\$4 with<br>(instruction)   | USPAT;<br>EPO;<br>JPO |
| 28 | BRS  | L76 | 611  | pointer with provid\$4 with<br>(instruction program word)  | USPAT;<br>EPO;<br>JPO |
| 29 | BRS  | L77 | 1    | trace with buffer with vliw  | USPAT;<br>EPO;<br>JPO |
| 30 | BRS  | L78 | 1    | trace with buffer with vliw  | USPAT;<br>EPO;<br>JPO |
| 31 | BRS  | L79 | 26   | (trace with buffer).ti.  | USPAT;<br>EPO;<br>JPO |
| 32 | BRS  | L80 | 83   | (trace with buffer) and<br>(pointer with buffer) and<br>(pointer with (instruction<br>pipeline execution)) | USPAT;<br>EPO;<br>JPO |
| 33 | BRS  | L81 | 128  | (microcode with sequence)<br>same (complex)  | USPAT                 |
| 34 | BRS  | L48 | 1    | trace with buffer with vliw  | USPAT                 |
| 35 | BRS  | L82 | 1    | "6031992".pn.  | USPAT                 |
| 36 | BRS  | L44 | 82   | (trace with buffer) and<br>(pointer with buffer) and<br>(pointer with (instruction<br>pipeline execution)) | USPAT                 |

|    | Type | L # | Hits | Search Text  | DBs  |
|----|------|-----|------|--|--|
| 37 | BRS  | L46 | 18   | (trace with buffer).ti.  | USPAT  |
| 38 | BRS  | L50 | 5    | instruction with reuse with<br>vliw                              | USPAT  |
| 39 | BRS  | L51 | 41   | "6031992".URPN.  | USPAT  |
| 40 | BRS  | L65 | 146  | ((trace reuse) with buffer)<br>and (pointer with decod\$4)       | USPAT  |
| 41 | BRS  | L83 | 24   | (weiss.in. and<br>matthias.in.) or<br>(gerhard.in. and fettweis) | USPAT  |
| 42 | BRS  | L84 | 85   | (weiss.in. and<br>matthias.in.) or<br>(gerhard.in. and fettweis) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |